





Károly Králik, leader of Cralusso

When I decided to launch the company Cralusso, I was very aware that I did not just want to produce floats that were amendments and variations of those already available. I knew that I had to think and work in different ways to the norm - "thinking outside the box" if you like - only that would lead to really new designs and true innovation.

I did not want to create just floats but solutions that made easier and more efficient the catching of fish. In the last six years, thanks to these revolutionary designs and solutions, Cralusso has become the leading float developer in the angling industry.

Our products have been successful not only among recreational anglers but at the very highest level of the sport! Top anglers the world over have used our floats to win many high profile competitions.

Main milestones:

2002: Launch Cralusso

2003: World Championship - Torpedo 2005: European Championship - Torpedo 2006: Innovation Expo, GENIUS award 2007: U.S. Open - Golf and Bubble 2008: European Championship - Torpedo

2008: U.S. Open - Shark

2008: Hungarian National Championship - Shark

2009: Best Stand award

2010: Sponsorship at Poznan World Cup



In 2009 Cralusso won the prize of "Best Stand" under the 30 m² category on the EFTTEX International Fishing Show!





The very best choice for professional and recreational anglers alike



Code: 1000

A new hydrodynamic form developed by Cralusso, the body does not lift out the water when held back. This float is for use on the pole and is ideal for use in medium or strong flow when you wish to present static or slow moving baits. It is so good and reliable that it has become the number one choice of flat float for anglers of all abilities including a few world champions! Some quotations about the Torpedo:


Alan Scotthorne: "The best flat float I've ever used" Angling Times, May 10 2005.

Bob Nudd: "It will add a new dimension to your polefishing" Angling Times 31 May 2005



Sizes: 0.5 - 0.75 - 1.0 - 1.5 - 2.0 - 3.0 - 4.0 - 5.0 gr

Code: 1001



As with the Torpedo, this float is for use on the pole and is ideal for use in medium or strong flow when you wish to present static or slow moving baits.

Sizes: 6 - 8 - 10 - 12 - 15 - 20 - 25 - 30 - 40 - 50 gr



With recommendation of Tibor Ambrus, world champion

TORPEDO Tuning

An advanced version of the Torpedo float, which helped the Hungarian team to win gold in the 2003 World Championship. The Torpedo Tuning was also the success story of the 2005 European Championship - 80% of the contestants used our floats, including Will Raison, the individual champion.













A river float designed for use on the pole but has found favour with many anglers on the running line. It is ideal for running through the swim at variable speed. The Bubble was introduced in 2005 Madunice European Championship.

The winner of U.S. Open in 2007 and 2008!

Variable antenna 1-5 gr 2 pcs Variable antenna 6-20 gr 5 pcs Waterproof polyurethane body Floats can be changed without dismantling the rig

Sizes:

1 - 1,5 - 2 - 3 - 4 - 5 - 6 - 8 - 10 - 12 - 15 - 20 gr

The next step of success!

József Papp won the 2008 U.S. open using a Cralusso Bubble



Functions of two floats in one 2 in 1 Code: 1004



You should use the first antenna position when you are holding the float back hard or even lightly.

2 You should use the second antenna position when you want the float running through the swim


experience in float design and was in response to the demand from professional anglers. Used primarily for pole fishing the float can present baits in many ways. The antenna position can be changed according to your technique – whether this is holding back hard or running the float through the swim.

When the current is strong or you are holding back

Shark, the brand new flat float was developed using many years of


When the current is strong or you are holding back hard use the first bristle position. When the flow is slower or you want to run the float through the swim the second bristle position is recommended.

The streamline hump on top of the float – the sharks fin – aids stability and sensitivity – even the smallest of bites can be seen clearly.















Code: 1027

This hard- wearing polyurethane disc float developed by Cralusso can take the place of tradicional balsa models, that can be damaged easily.



Sizes:



Code: 1002

A special river float for use with rod and reel set ups that can be held back hard without drifting in across the flow. The direction and speed can be changed easily offering perfect and accurate presentation. Ideal for medium and strongly currents although it can be used on still water for predator fishing when you wish to work a baitfish parallel to the bank.





A river float for use Bolognese rods and any running line set up. The design allows you to hold the float back without it drifting in across the flow. You can vary the speed of travel easily, but in sufficient flow and by holding back hard it is possible to lead the Bolo out from the bank toward features, cover or your feed line. You can effectively position the float before letting it run through the swim.







Revolutionary new waggler designs from Cralusso



ROCKET

Code: 1006

We developed the Rocket for long, accurate, straight casting. The Rocket has unique features that enable it to fly much better than traditional wagglers

- even those with flights







Thanks to the versatile and adaptable antenna system, twenty Cralusso sight tips can be used with this float. Three tips are contained in each pack.

Б By sliding the tube to calibrate the float you can minutely adjust the weighting = 0,45 qr= 1,0 qr= 2,0 gr

The stem of the float is made from a material that is very strong and will remain straight without becoming twisted or curved.

2

3

PUR

The calibration system helps quick, simple and accurate adjustments. with 0,05 gr graduations being possible

The aerodynamics are improved with surface indentations (as on a golf ball)

which reduces air resistance and increases stability.

The critical element of the Rocket design is the special attachment system. This ensures the optimum position of the float and the terminal tackle it is 'towing' during flight - thus ensuring maximum distance and

When you use this floats after casting you should hold back the float before it falls dawn into the water to eliminate the possibility of tangles.

Size gr	Changeable weight
6	2,0 gr
8	2,5 gr
10	3,0 gr
12	3,0 gr
14	3,0 gr
16	3,5 gr
18	3,5 gr
20	3,5 gr


accuracy is achieved.

Recommended float adaptors: Anti tangle waggler attachment Size: Small, Medium Code: 2006

How to use this attachment?

The short stem faces toward the rod.

The long stem is faces toward the hook.



Variable/removable

weights in the body

of the float







Code: 1007

The UFO waggler is attached in the traditional way but the design incorporates several innovative features.

0 2 3 4

The polyurethane body is not sensitive to surface damage and will not allow water ingress. The UFO is a versatile waggler for both pleasure and match anglers alike.

Size gr	Changeable weight
6	2,5 gr
8	3,0 gr
10	3,0 gr
12	3,0 gr
14	3,5 gr
16	3,5 gr
18	4,5 gr
20	5,5 gr



Recommended float adaptors Waggler Attachment Light: 2005 Brass Head Safety Snap: 2122 Plastic head swivel with interlock snap: 2123




Code: 1014




This model – Rocket Light – has an extraordinary flying ability. While retaining incredible accuracy it is possible, because of the attachment system, to cast 20-30% longer distances than with traditional floats.

Size gr	Changeable weight
1,5	1,0 gr
2,0	1,0 gr
2,5	1,0 gr
3,0	1,0 gr
4,0	1,0 gr
5,0	1,0 gr
6,0	1,0 gr
7,0	1,0 gr
8,0	1,0 gr



Recommended float adaptors:
Anti tangle waggler attachment

Size: Small Code: 2006











Variable antenna 2 pcs

Туре	Distance of Casting	Changeable weight
Velence 5-11 gr	35-60 m	1,0-2,5 gr
Rocket 6-20 gr	40-85 m	2,0-3,5 gr
Rocket light 1,5-8 gr	20-60 m	+ 1,0 gr
Dart 6-20 gr	35-65 m	2,5-5,5 gr
Sensitive 5-11 gr	35-55 m	1,5-3,0 gr
Ufo 6-20 gr	30-50 m	2,5-5,5 gr

The advantage of these floats is the excellent sensitivity! The Velence and the Sensitive incorporate all of Cralusso's new technical solutions




DART

Code: 1008



Size gr	Changeable weight
6	2 5 ar

6	2,5 gr	
8	3,0 gr	
10	3,0 gr	
12	3,0 gr	
14	3,5 gr	
16	3,5 gr	
18	4,5 gr	
20	5,5 gr	





The concept is the same as that found in the UFO waggler but in addition to the other latest developments this version incorporates a flight.








The body is made of polyurethane, which is not sensitive to surface damage. The Dart is a very versatile float, which is a suitable for both pleasure and match anglers alike.

Recommended float adaptors: Waggler Attachment Light: 2005 Brass Head Safety Snap: 2122

Plastic head swivel with interlock snap: 2123



Code: 1040














The ARROW waggler ensures an aerodynamic flight, high levels of sensitivity and offers a multifunctional, easy to use float. The longer stem offers the following advantages:

- Generates extraordinary stability and distance in flight
- The body and main weight of the float sits deep in the water and it is therefore less influenced by wind and surface skim
- The long float aids the important task of getting your line deep in the water

Transportation of the long float is not difficult as the stem and body can be separated. This allows the carrying of made up rods where required with no risk of float damage.



Size gr	Changeable weight
8	3,0 gr
10	4,0 gr
12	5,0 gr
14	6,0 gr
16	7,0 gr
18	8,5 qr








Code: 1013

ZeroSlider

This float is a new generation Slider with unique design elements and construction



Variable antenna 2 pcs



Pellet

This near indestructible float has been made for the ever more popular method of pellet waggler fishing. Being short it can be used successfully when fishing shallow and presenting baits deeper is no problem. You can fish precisely with different sizes and weights of pellet by making adjustments to the capacity of the float using the

calibration system.



Unweighted slider floats



CRALUSSO



Code: 1011

S - M - L


Rocket Pellet



This float incorporates all the advantages of the pellet float but also utilises the rocket system.

Normal pellet wagglers are hampered in flight because the float is trying to tow a big bait. Aerodynamics, distance and accuracy are therefore adversely affected.

The Rocket Pellet overcomes all these problems and is the perfect solution - even with heavy reel lines it can cast long distances and is very accurate.







Sizes:

3-4-5-6-8 gr



Sizes: 3-4-5-6-8 qr





Winner of US Open Championships in 2007

When we were creating the traditional type of tear drop floats it was our intention, as is always the comp<mark>any policy, to place</mark> the emphasis on making each model easy to use, infinitely variable and long lasting. The design allows all of the components, including the bristles, to be freely interchanged thus allowing numerous combinations to be achieved. The floats are available with carbon stems or a near transparent fibre glass stem that is less visible in water.

Code: 1015 (fibr glass) Code: 1018 (carbon)

Code: 1016 (fibr glass) Code: 1019 (carbon)

Code: 1017 (fibr glass) Code: 1020 (carbon)

Code: 1050 (fibr. Glass, fixed antenna) Code: 1051 (carbon, fixed antenna)

Golf



CAPRI

Line fixing silicone

The special dimpled surface of this Golf float, which reduces water tension affects, makes it an ideal choice for use on rivers, moving canals and choppy lakes.

Universal shape which is ideal for both rivers and still waters. The protective plastic tube through the float is very hard wearing and makes the float virtually indestructible highly recommended when fishing for carp on the pole.

> Sizes: 0,5 - 0,75 - 1 1.5 - 2 - 3 - 4 - 5 - 6

This body shape allows for more sensitive presentation even more so if you use the 1 mm carbon or glass stem as the bristle. Also incredibly strong, however, and will handle big fish well.

Sizes: 0,2 - 0,3 - 0,5 - 0,75 - 1 1.5 - 2 - 3 - 4 - 5 - 6

Our new pole float has a 3D and extremely streamlined shape resulting in exceptional sensitivity and stability.


A hollow, and therefore buoyant, bristle is incorporated in this multifunctional float. It was decided not to use a side eye as these create an inherently weak point but instead of this to utilise a neat silicone sleeve at the base of the antennae.

The body is polyurethane, virtually indestructible and will not absorb water even if you do manage to damage it!


Sizes: 0,5-0,75-1,0-1,25-1,5-2,0 gr

Sizes: 1 - 1.5 - 2 - 3 - 4 5 - 6 - 8 - 10 - 12

> They are well constructed and very strong. Bristles are interchangeable so you can make rigs that perform well for delicate presentation or dealing with big weights of fish.





Components of the tear drop floats are all interchangeable and they can be assembled in a number of ways to suit your own requirements only your imagination could limit the number of variations.






Carp Series





Code	Weight gr	Antenna	Stem	Body mat.	Pcs/bag
1041	1-1,5-2-3-4-5-6	plastic	fibre glass	balsa	5
1042	0,5-0,75-1-1,5-2-2,5-3-4-5	plastic	fibre glass	balsa	5
1043	0,5-0,75-1-1,5-2-2,5-3	plastic	fibre glass	balsa	5
1044	0,3-0,5-0,75-1-1,25-1,5-2-2,5-3	fibre glass	fibre glass	balsa	5
1045	0,5-0,75-1-1,25-1,5-2-2,5-3	hollow	carbon	balsa	5
1046	0,4-0,6-0,8-1-1,25-1,5-2	hollow	carbon	balsa	5
1047	0,2-0,4-0,6-0,8-1-1,25-1,5-2	fibre glass	carbon	balsa	5
1048	0,4-0,6-0,8-1-1,25-1,5-2	fibre glass	carbon	balsa	5



				- c c.jc.c.	,
1060	1-2-3-4-5-6-8	balsa	fibre glass	balsa	5
1061	0,2-0,4-0,6-0,8-1-1,5-2-2,5-3	balsa	fibre glass	balsa	5
1062	0,6-1-1,25-1,5-2-2,5	balsa	steel	balsa	5
1063	0,5-0,75-1-1,5-2-3-4-5	balsa	fibre glass	balsa	5
1064	1-1,5-2-2,5-3	balsa	fixed in one point	balsa	5
1065	0,6-1-1,25-1,5	balsa	fixed in one point	balsa	5

Balsa float with changeable star light antenna



2-3-4-5-6-8-10

2-2,5-3-4-5-6-8

1-2-3-4-5-6


1-1,5-2-2,5-3-4-5-6-8-10

1205

1206

1207

1208



5

5

5

5

balsa

balsa

balsa

balsa

fibre glass

fibre glass

fibre glass

fibre glass

plastic

plastic

plastic

plastic

CRALUSS 1038-mix Livia Tear drop float with fibr glass stem Mix (Balsa)

Mixed floats in one bag

Balsa floats - practical mixed packages



Martin Tear drop float carbon stem Mix (Balsa) Sizes: 0,75-1-1,25-1,5-2 gr

Sizes: 0,5-1-1,5-2-3 qr

1043-mix

Milan Tear drop float with fibr glass stem Mix (Balsa)

Sizes: 0,5-0,75-1-1,5-2 gr

1061-mix

Genetic Tear drop float fibr glass stem Mix (Balsa)

Sizes: 0,6-0,8-1-1,25-1,5 gr

1207-mix

Starlight holding Balsa float Mix (Balsa)

Sizes: 1-2-3-4-5 gr

1047-mix

Victor Tear drop float carbon stem Mix (Balsa) Sizes: 0,4-0,6-1-1,5-2 gr

Dart antenna set (3 Pcs/bag)

2002

High visibility hollow antenna that aids float flight. 0,6 gr sensitivity



Hollow antenna set (6 Pcs/bag)

Attachments

2003

Sensitive, highly visible hollow antenna with 0,3 gr sensitivity

Waggler attachment Light (Fixed)

A sure and safe float fixing that allows quick changes. Tangles and knots are reduced because of the built in big load bearing swivel. The attachment is very light as carbon is used in the manufacture. We offer the small Waggler attachment for 8-10 gr floats, and the medium attachment for floats above 10 gr.

Size	Code	Weight	Pcs/bag
Small	2005	0,22 gr	3 pcs
Medium	2005	0.35 ar	3 pcs



2001

It can be used for both Cralusso Waggler and polyurethane tear drop floats.




2011

Universal star light holder 4,5 mm-es (3 pcs/bag)



Waggler float stem range (3 Pcs/bag)

CRALUSS






2010



Anti tangle waggler attachment (Fixed)

Cralusso's own development! The success of the anti-tangle waggler attachment lies in the asymmetric design which allows the device to keep the line away from the float and so greatly reduce the possibility of tangles and knots.

Size	Code	Weight	Pcs/bag
Small	2006	0,30 gr	3 pcs
Medium	2006	0,45 gr	3 pcs






Size S M L

Olive rubber stopper 2008

Adjustable float-holding roll




2032 S 2032 M



Pcs/bag 9 db 9 db


9 db





Pcs/bag 4 pcs









Line marker

2056

2055

2057




Fishing line winder **NEW**















2025

Bait holder

Sizes: S-L



Silicon tubes mixed



Variable size pellet rings

Variable size bait bands

2009-mix

2020

CRALUSSO




Pellet ring mixed 2021-mix



Flare rubber thorn 2012-mix



Float fixing set 2014-mix



Pellet stopper kit hard 2026





"PRESTIGE" fishing line – as the name implies, this range will satisfy the highest demands of the modern angler. We believe different disciplines of fishing require a line specifically designed for the purpose and that each must possess the correct properties for its intended use. As such, we have developed and tested the lines over a period of some years and are certain we are now offering a selection of the very best available at a truly competitive price.



A very reliable line with high tensile strength Excellent UV and abrasion resistance with silky smooth surface Specially recommended for general use and rig making

Length (m)	Diameter (mm)	Breaking Strain (kg)
150	0,12	2,24
150	0,14	2,75
150	0,16	3,46
150	0,18	4,14
150	0,20	5,12
150	0,22	6,54
150	0,25	8,19
150	0,30	11,22
150	0,35	15,49

Hooklength Line Soft & Strong

2061



Great attention to detail has been paid to ensure this line has the optimal relationship between strength and suppleness. It is reliable, strong and resistant to twist and tangles.

Length (m)	Diameter (mm)	Breaking Strain (kg)
50	0.088	1,18
50	0,102	1,57
50	0,123	2,34
50	0,143	3,07
50	0,160	3,84
50	0,178	4,61
50	0,201	5,71



This new generation sinking line has been developed specifically for waggler fishing. It possesses qualities of high abrasion resistance and extremely low surface friction which enables easy casting and creates fast sink rates

Length (m)	Diameter (mm)	Breaking Strain (kg)	
150	0,14	2,21	
150	0,16	2,77	
150	0,18	3,31	
150	0,20	4,10	
150	0,23	5,23	





This line is recommended for feeder fishing. It is very resilient and has a medium sink rate. The super low friction surface ensures fast movement through the water and positive contact with the fish

Length (m)	Diameter (mm)	Breaking Strain (kg)
150	0,18	4,4
150	0,20	5,5
150	0,22	6,9
150	0,25	8,6
150	0,30	11,8



A line designed to suit the high demands of Carp anglers. It has qualities of high abrasion resistance and very low surface friction that assists with long range casting and minimises damage. It also ensures fast movement through the water and positive contact with the fish

Length (m)	Diameter (mm)	Breaking Strain (kg)
350	0,25	6,56
350	0,30	7,70
350	0.36	12,38










A reliable fishing line with high tensile strength. UV and abrasion resistant. The extraordinary smooth surface ensures effortless long range casting.

Length (m)	Diameter (mm)	Breaking Strain (kg)
150	0,18	4,4
150	0,20	5,5
150	0,22	6,9
150	0,25	8,6
150	0,30	11,8
Length (m)	Diameter (mm)	Breaking Strain (kg)
350	0,18	4,4
350	0,20	5,5
350 350	0,20 0,22	5,5 6,9
	-, -	

Universal braid with high levels of tensile strength and an abrasion resistant surface. The Dyneema material resists water absorption and provides an extra level of protection and durability.

Length (m)	Diameter (mm)	Breaking Strain (kg)
150	0,12	11,20
150	0,14	12,80
150	0,16	14,40
150	0,18	16,80
150	0,20	19,04
150	0,22	24,48
150	0,25	27,52



150 m 350 m
















Length (m)	Diameter (mm)	Breaking Strain (kg)
500	0,20	5,1
500	0,22	6,5
500	0,25	8,2
500	0,30	11,2





2075



colorless			yellow	
10m	0,32	5m tapered	185m 0,18	

Length (m)	Diameter (mm)	Breaking Strain (kg)
200	0,32-0,18	10,9-3,5
200	0,35-0,20	13,4-4,4
200	0,40-0,22	16,0-5,7





braid hooklenght line







Length (m)	Diameter (mm)	Breaking Strain (kg)
50	0,08	3,8
50	0,10	5,1
50	0,12	6,3
50	0,14	7,6
50	0,16	9,5



Hooks

Sode Light





Flatted - Forged - Round

Size	Weight (gr)	Pcs/bag
18	0,004	14 db
16	0,005	14 db
14	0,008	16 db
12	0,012	16 db
10	0,017	16 db
8	0,029	16 db

Chika







Flatted - Round

)

Size	Weight (gr)	Pcs/bag
18	0,005	16 db
16	0,008	16 db
14	0,014	16 db
12	0,018	14 db
10	0,024	14 db
8	0,029	14 db

Koaji Round

Flatted - Round







Size	Weight (gr)	Pcs/bag
16-	0,009	16 db
14-	0,016	16 db
12-	0,023	14 db
10-	0,036	14 db
8-	0,049	14 db

Shin Aji





Flatted - Large Forged









1		
	1	
1	J	
	5	

Size	Weight (gr)	Pcs/bag
11-	0,045	11 db
9-	0,066	10 db
7-	0,094	9 db
5-	0,14	8 db

Hooks




2420



OI

Flatted – Forged



14



L



8



6

Size	Weight (gr)	Pcs/bag
16-	0,014	12 db
14-	0,024	12 db
12-	0,034	12 db
10-	0,051	12 db
8-	0,083	11 db
6-	0,103	10 db

SB Chinu

16

2430



004

Double (one normal and one micro) edge point

- Flatted - Forged and Curved



10 8



6



4



2



Size	Weight (gr)	Pcs/bag
10-	0,049	10 db
8-	0,061	10 db
6-	0,077	9 db
4-	0,134	9 db
2-	0,2	7 db

Delta Chinu

10

2435

4



2

Triple edge point - Trust Grip - Forged and Curved

8



6

Size	Weight (gr)	Pcs/bag
10-	0,048	8 db
8-	0,07	8 db
6-	0,084	8 db
4-	0,137	7 db
2-	0,198	6 db

Accurate and fine laser carving on the end to prevent from the line come-off, trust cutting to restrain the line-moving.



This hooks is developed by latest technology, cutting the needle point by three different degree with uniqueedge form.





Quality swivels and accessories at a reasonable price!

•					
Golden swivel	2110				
Exlusive Design		Size	Test	Weight	Pcs/bag
Extusive Design	0=0	3	40 kg	0,41 gr	10 db
	0=0	5	32 kg	0,25 gr	12 db
	0=0	7	22 kg	0,13 gr	12 db
	000	10	14 kg	0,07 gr	12 db
	0=0	14	4 kg	0,04 gr	12 db
	0444				
Rhombus swivel	2111				
0.00		Size	Test	Weight	Pcs/bag
	∞	5	27 kg	0,25 gr	12 db
	∞	7	19 kg	0,13 gr	12 db
	080	10	9 kg	0,07 gr	12 db
	080	14	4 kg	0,04 gr	12 db
Double swivel	2112				
Double Swiver	2112	61			5 (1
0.77.0	0000	Size	Test	Weight	Pcs/bag
	0==0	5	32 kg	0,44 gr	12 db
	0==0	7	22 kg	0,25 gr	12 db
	0000	10	14 kg	0,13 gr	12 db
	0000	14	4 kg	0,06 gr	12 db
Triple speed swivel	2113				
Triple speed swivel	2115	c:	T .	147 . 1 .	D //
	0.0000	Size	Test	Weight	Pcs/bag
	0===0	7	22 kg	0,23 gr	12 db
0	0===0	10	14 kg	0,112 gr	12 db
	0===0	14	4 kg	0,062 gr	12 db
Triple chain swivel	2114				
Triple chain swivet	2114	Ci-o.	Toot	Waight	Dec/bag
	0000000	Size 7	Test 22 kg	Weight 0,23 gr	Pcs/bag 12 db
	0=0=0=0	10	22 kg 14 kg	0,23 gr	12 db
	00000000	14	4 kg	0,112 gr	12 db
	0-0-0-0	17	+ kg	0,002 gi	12 GB
Swivel & safety snap	2115				
Swiver a safety shap	2115	Size	Test	Weight	Pcs/bag
Home to the street because of	000	5	9 kg	0,40 gr	12 db
	0000	7	7 kg	0,40 gr	12 db
	000	10	5 kg	0,14 gr	12 db
	0=	14	3 kg	0,10 gr	12 db
			9	-, g.	
Crane swivel with interlock s	nap 2116				
and the second s	1 1 2 2 3	Size	Test	Weight	Pcs/bag
	000	2	18 kg	0,52 gr	10 db
	000	4	14 kg	0,38 gr	12 db
	000	6	12 kg	0,26 gr	12 db
	000	8	10 kg	0,16 gr	12 db
	000	10	9 kg	0,12 gr	12 db
			3	. 3	
Swivel with hooked snap	2117				
		Size	Test	Weight	Pcs/bag
2000	0000	4	70 kg	2,05 gr	12 db
	00000	7	20 kg	0,25 gr	12 db
	00000	10	12 kg	0,13 gr	12 db
	00000	14	4 kg	0,06 gr	12 db

Quality swivels and accessories at a reasonable price!



			• • •	
ירט	haarna	CVAZIVA	wath	cnan
חמו	bearing	>WIVEI	WULLI	SHALL
Dui	 DCUIIII	3441461	. ** : C: :	JIIGD

2118





Size	Test	Weight	Pcs/bag
0	12 kg	0,32 gr	6 db
1	18 kg	0,52 gr	6 db
2	25 kg	0,76 gr	6 db
4	35 kg	1,60 gr	6 db

Swing coastlock snap

2119





Size	Test	Weight	Pcs/bag
6	30 kg	0,32 gr	12 db
8	19 kg	0,20 gr	12 db
10	14 kg	0,12 gr	12 db
12	9 kg	0,08 gr	12 db

Side-line rolling swivel

2120






Size	Test	Weight	Pcs/bag
2	43 kg	0,88 gr	6 db
4	35 kg	0,56 gr	6 db
6	30 kg	0,32 gr	6 db
8	19 kg	0,18 gr	6 db

Corner plate swivel

2121



Size	Weight	Pcs/bag
6	1,3 gr	3 db
8	0,94 gr	3 db
10	0,57 gr	3 db

Brass Head Safety Snap

2122





Size	Weight	Pcs/bag
S	0,17 gr	6 db
М	0,26 gr	6 db

Plastic head swivel with interlock snap 2123





Size	Weight	Pcs/bag
S	0,15 gr	6 db
М	0,23 gr	6 db

Hooked snap





Size	Test	Weight	Pcs/bag
00	9 kg	0,03 gr	12 db
0	12 kg	0,04 gr	12 db
1	20 kg	0,08 gr	12 db
2	28 kg	0,13 gr	12 db
3	35 kg	0,20 gr	12 db




Quality swivels and accessories at a reasonable price!

Mixed swivel

2126-mix

Practical packing of three basic types with 4 sizes










Size	Test	Weight	Pcs/bag
4/0	70 kg	2,05 gr	4 pcs
2/0	44 kg	1,45 gr	6 pcs
1	38 kg	0,92 gr	10 pcs
3	33 kg	0,68 gr	12 pcs
5	27 kg	0,44 gr	12 pcs
7	20 kg	0,27 gr	12 pcs
10	12 kg	0,13 gr	12 pcs

Quick snap with fixing tube

2128



0000

080

000

2130



Size	Pcs/bag
6	6 pcs
8	6 pcs





■>=0

DO-0

(C)


Swivel with pearl beads and

2129

rubber stopper

212

Pcs/bag 2×4 pcs




2131





Size



Match Quick snap

2132



Size	Pcs/bag
12	6 pcs
14	6 pcs



Swivel with side line clip

2135







Size	Test	Weight	Pcs/bag
6	22 kg	0,32 gr	12 pcs
8	14 kg	0,20 gr	12 pcs
10	9 kg	0,12 gr	12 pcs
12	4 kg	0,08 gr	12 pcs

Soft beads

. .

NEW

2140 1x2mm 8 pcs

2141 1,2x6mm 8 pcs



Maggot clips


NEW

11x14x0,5 mm

6 pcs/bag



Distance holders, Fixing wedges





Feeder Basket

Flat Feeder Basket

3005



Flat/spring feeder basket with anti tangle tube



Square feeder basket with 8 lines square 3010



Wire feeder basket with 5 lines round 3011



Wire feeder basket with 5 lines square 3012



Code	Weight	Pcs/bag
3005-20	20 gr	10 pcs
3005-30	30 gr	10 pcs
3005-50	50 gr	10 pcs
3005-70	70 gr	10 pcs
3005-100	100 gr	10 pcs

Code	Weight	Pcs/bag
3006-14	14 gr	10 pcs
3006-20	20 gr	10 pcs
3006-30	30 gr	10 pcs
3006-50	50 gr	10 pcs
3006-70	70 gr	10 pcs
3006-100	100 gr	10 pcs

Code	Weight	Pcs/bag
3010-10	10 gr	10 pcs
3010-15	15 gr	10 pcs
3010-20	20 gr	10 pcs
3010-25	25 gr	10 pcs
3010-30	30 gr	10 pcs
3010-40	40 gr	10 pcs
3010-50	50 gr	10 pcs
3010-60	60 gr	10 pcs
3010-70	70 gr	10 pcs
		THE PERSON NAMED IN

Code	Weight	Pcs/bag
3011-5	5 gr	10 pcs
3011-10	10 gr	10 pcs
3011-15	15 gr	10 pcs
3011-20	20 gr	10 pcs
3011-25	25 gr	10 pcs
3011-30	30 gr	10 pcs

Code	Weight	Pcs/bag
3012-5	5 gr	10 pcs
3012-10	10 gr	10 pcs
3012-15	15 gr	10 pcs
3012-20	20 gr	10 pcs
3012-25	25 gr	10 pcs
3012-30	30 gr	10 pcs

Feeder Basket



			and the second
Pe	ellet feeder basket	3018	
		ALEWO .	Code
		NEW	3018-2
		\times \times \rangle	3018-3
		\times \times \times	3018-4
	CONTO /		

X		
Code	Weight	Pcs/bag
3018-25	25 gr	2 pcs
3018-35	55 gr	2 pcs
3018-45	45 gr	2 pcs

Rocket feeder basket

NEW

3019

Ribbed	feeding	basket with	anti	3014
tangle	tube			1

Code	Weight	Pcs/bag
3019-15	15 gr	2 pcs
3019-25	25 gr	2 pcs
3019-35	35 gr	2 pcs
3019-50	50 gr	2 pcs
3019-70	70 gr	2 pcs
N. Y	Y Y	Y Y



Code	Weight	Pcs/bag
3014-10	10 gr	10 pcs
3014-15	15 gr	10 pcs
3014-20	20 gr	10 pcs
3014-25	25 gr	10 pcs
3014-30	30 gr	10 pcs
3014-35	35 gr	10 pcs
3014-45	45 gr	10 pcs
3014-60	60 gr	10 pcs

Pcs/bag

10 pcs

10 pcs

10 pcs


10 pcs

10 pcs

10 pcs

Inline ribbed feeder basket

3015



Anti tangle tube with strong end 3101

\wedge		
Code	Size	Pcs/bag
3101-30	30 mm	3 pcs
3101-55	55 mm	3 pcs
3101-85	85 mm	3 pcs
3101-120	120 mm	3 pcs

Anti tangle tube with hooked snap 3102

Code	Size	Pcs/bag
3102-80	80 mm	3 pcs
3102-120	120 mm	3 pcs
3102-180	180 mm	3 pcs



Globular weight with central hole, precise cut and protector tube





3001-mix

The quality manufacture and tube makes it possible to fix perfectly centrally and without causing damage



Olive weights with silicone,- two functions in one lead

If the line is threaded through the tube, the olivette can be used as a sliding weight.

If fixed to the line by silicon tubes. then it can be used as changeable weight.



Environment friendly Weights without lead

3041 / 3042-mix

3051 / 3052-mix

3061 / 3062-mix





Code	Weight	Pcs/bag
3001-1	1,0 gr	5 pcs
3001-1,5	1,5 gr	5 pcs
3001-2	2,0 gr	5 pcs
3001-2,5	2,5 gr	5 pcs
3001-3	3,0 gr	5 pcs
3001-4	4,0 gr	5 pcs
3001-5	5,0 gr	5 pcs
3001-6	6,0 gr	5 pcs
3001-7	7,0 gr	5 pcs
3001-8	8,0 gr	5 pcs
3001-10	10,0 gr	4 pcs
3001-12	12,0 gr	4 pcs
3001-15	15,0 gr	4 pcs
3001-18	18,0 gr	3 pcs
3001-20	20,0 gr	3 pcs
3001-25	25,0 gr	2 pcs
3001-30	30,0 gr	2 pcs
3001-mix	Mixed	5 pcs

Weight

Pcs/bag

3002-1	1,0 gr	5 pcs
3002-1,5	1,5 gr	5 pcs
3002-2	2,0 gr	5 pcs
3002-2,5	2,5 gr	5 pcs
3002-3	3,0 gr	5 pcs
3002-4	4,0 gr	5 pcs
3002-5	5,0 gr	5 pcs
3002-6	6,0 gr	5 pcs
3002-7	7,0 gr	5 pcs
3002-8	8,0 gr	5 pcs
3002-mix	Mixed	5 pcs
Weight	F	cs/bag
0,5 gr		10 pcs
1,0 gr		7 pcs
1,5 gr		6 pcs
2,0 gr		5 pcs
3,0 gr		4 pcs
4,0 gr		3 pcs
5,0 gr		2 pcs
6,0 gr		2 pcs
0,5-1-2-3-4	gr	5 pcs

Code

Olive weight with plastic tube

3004





Code	Weight	Pcs/bag
3004-1	1,0 gr	6 pcs
3004-1,25	1,25 gr	6 pcs
3004-1,5	1,5 gr	6 pcs
3004-2	2,0 gr	5 pcs
3004-2,5	2,5 gr	5 pcs
3004-3	3,0 gr	5 pcs
3004-4	4,0 gr	5 pcs
3004-5	5,0 gr	4 pcs
3004-6	6,0 gr	4 pcs
3004-7	7,0 gr	4 pcs
3004-8	8,0 gr	3 pcs
3004-10	10,0 gr	3 pcs

Sounding weight



Code	Weight	Pcs/bag
3003-5	5,0 gr	5 pcs
3003-10	10,0 gr	4 pcs
3003-15	15,0 gr	4 pcs
3003-20	20,0 gr	3 pcs
3003-35	35,0 gr	2 pcs







Innovative Fishing Floats

Králik & Tsa. Kkt.
H-2600 Vác Naszály u.2.
Phone/fax:+36/27-304-327
e-mail:cralusso@cralusso.com

www.cralusso.com